

BUSH RANGER[®]

POWER EQUIPMENT



SPARTAN
MOWERS



/// 2026



Zero-Turn Mowers

Shield	6
Shield HD	8
Defender	10
RTHD	12
SRTXD	14
KG	18
Features	20
Specifications	22
Accessories	26

Home User

Seasonal or
Light use

Land Owner

Frequent or
Demanding use

Professional

All day,
everyday use

LEVEL UP YOUR LAWNCARE GAME WITH THE BUSHRANGER SPARTAN RANGE.

Our extensive range of zero-turn mowers include units to suit the small acreage owner through to the professional commercial operator. The Bushranger Spartan range boasts the sleekest design, with unmatched performance and a tough and reliable build with all the bells and whistles included to top it off. Enabling each user to get the job done quickly and efficiently allowing more time to enjoy life's simple pleasures.

Being a proudly Australian Owned and Operated business the Bushranger team are well-equipped with the knowledge of what is needed in a zero-turn mower to tackle the harsh Australian terrain and conditions. All products within our line up have been tested extensively alongside Australian commercial operators and avid home owners enabling us to gain invaluable feedback on consumer needs. This ensures we are bringing the perfect unit to suit every Bushranger Spartan owner, day in and day out.

We also recognize the importance of supporting small businesses within Australia, which is why we only distribute our units to the Australian dealer network and are proud in doing so. With over 110 Bushranger Spartan dealers Australia-wide you're not far from a friendly face and superior range of zero-turn mowers.





THE SHIELD CHANGES THE OUTDOOR GAME.

The Bushranger Spartan Shield series is built for durability and performance, making it ideal for demanding outdoor tasks. Its robust construction and innovative design deliver clean cutting results, while reducing operator fatigue. Perfect for serious homeowners, the Bushranger Spartan Shield offers reliable, efficient performance day after day - a true game-changer in outdoor equipment.

SHIELD42 42" ZERO-TURN MOWER BRUSHIELD42

Home User Land Owner

Kawasaki FR691V | 23 hp (17.2 kW) | 309 kg | 42" (1067 mm) cut side discharge | Fuel Capacity: 18.9 litres | Height: 44" (1117 mm) | Length: 81" (2057 mm) | Up to 12.8 kph ground speed

Warranty: Entire Product- 3 Years / 300 Hours

- Dual hydrostatic Hydro-Gear ZT2200
- Electric PTO Clutch
- Fabricated steel, 4" deep deck
- Magnetic pin height adjustment
- 20" drive Carlisle turf armour tyres, 12" front caster tyres



SHIELD54 54" ZERO-TURN MOWER BRUSHIELD54

Home User Land Owner

Kawasaki FR691V | 23 hp (17.2 kW) | 326 kg | 54" (1371 mm) cut side discharge | Fuel Capacity: 18.9 litres | Height: 44" (1117 mm) | Length: 81" (2057 mm) | Up to 12.8 kph ground speed

Warranty: Entire Product- 3 Years / 300 Hours

- Dual hydrostatic Hydro-Gear ZT2200
- Electric PTO Clutch
- Fabricated steel, 4" deep deck
- Magnetic pin height adjustment
- 20" drive Carlisle turf armour tyres, 12" front caster tyres



SHIELD HD RANGE



TOUGH CONDITIONS? MEET THE SHIELD HD.

The Bushranger Spartan Shield HD is built for tough, demanding conditions. Its durable construction and efficient design deliver professional-quality cuts while minimizing downtime. Perfect for large properties, it offers reliable performance and exceptional durability season after season.

SHIELDHD42 42" ZERO-TURN MOWER BRUSHIELDHD42

Home User Land Owner

Kawasaki FR691V | 23 hp (17.2 kW) | 309 kg | 42" (1067 mm) cut side discharge | Fuel Capacity: 18.9 litres | Height: 44" (1117 mm) | Length: 81" (2057 mm) | Up to 12.8 kph ground speed

Warranty: Entire Product- 3 Years / 300 Hours

- Dual hydrostatic Hydro-Gear ZT2800
- Electric PTO Clutch
- Fabricated steel, 4" deep deck
- Magnetic pin height adjustment
- 20" drive Carlisle turf armour tyres, 12" front caster tyres



SHIELDHD54 54" ZERO-TURN MOWER BRUSHIELDHD54

Home User Land Owner

Kawasaki FR691V | 23 hp (17.2 kW) | 326 kg | 54" (1371 mm) cut side discharge | Fuel Capacity: 18.9 litres | Height: 44" (1117 mm) | Length: 81" (2057 mm) | Up to 12.8 kph ground speed

Warranty: Entire Product- 3 Years / 300 Hours

- Dual hydrostatic Hydro-Gear ZT2800
- Electric PTO Clutch
- Fabricated steel, 4" deep deck
- Magnetic pin height adjustment
- 20" drive Carlisle turf armour tyres, 12" front caster tyres



SHIELD HD RANGE



THE DEFENDER: BUILT TOUGH MADE PRACTICAL.

The Bushranger Spartan Defender combines durability with practicality, making it a reliable choice for navigating compact and tricky areas. Its design seamlessly handles small residential yards, offering efficient performance without unnecessary complexity.

DEFENDER48 48" ZERO-TURN MOWER [BRUDEFENDER48](#)

Home User Land Owner

Kawasaki FR691V | 23 hp (17.2 kW) | 346.9 kg | 48" (1219 mm) cut side discharge | Fuel Capacity: 18.9 litres | Height: 74" (1879.6 mm) with ROPS up, 49" (1244.6 mm) folding ROPS down | Length: 81" (2057 mm) | Up to 12.8 kph ground speed

Warranty: Entire Product- 3 Years / 300 Hours

- Dual hydrostatic Hydro-Gear ZT2800
- Electric PTO Clutch
- Fabricated steel, 4.5" deep deck
- Magnetic pin height adjustment
- 22" drive Carlisle turf armour tyres, 13" front caster tyres



DEFENDER54 54" ZERO-TURN MOWER [BRUDEFENDER54](#)

Home User Land Owner

Kawasaki FR691V | 23 hp (17.2 kW) | 375 kg | 54" (1371.6 mm) cut side discharge | Fuel Capacity: 18.9 litres | Height: 74" (1879.6 mm) with ROPS up, 49" (1244.6 mm) folding ROPS down | Length: 81" (2057 mm) | Up to 12.8 kph ground speed

Warranty: Entire Product- 3 Years / 300 Hours

- Dual hydrostatic Hydro-Gear ZT2800
- Electric PTO Clutch
- Fabricated steel, 4.5" deep deck
- Magnetic pin height adjustment
- 22" drive Carlisle turf armour tyres, 13" front caster tyres



DEFENDER60 60" ZERO-TURN MOWER [BRUDEFENDER60](#)

Home User Land Owner

Kawasaki FR730V | 24 hp (17.9 kW) | 390.9 kg | 60" (1524 mm) cut side discharge | Fuel Capacity: 18.9 litres | Height: 74" (1879.6 mm) with ROPS up, 49" (1244.6 mm) folding ROPS down | Length: 81" (2057 mm) | Up to 12.8 kph ground speed

Warranty: Entire Product- 3 Years / 300 Hours

- Dual hydrostatic Hydro-Gear ZT2800
- Electric PTO Clutch
- Fabricated steel, 4.5" deep deck
- Magnetic pin height adjustment
- 22" drive Carlisle turf armour tyres, 13" front caster tyres



TOUGH JOB AHEAD? THE RTHD HAS YOU COVERED.

The Bushranger RTHD series is bursting with premium features that all come standard and makes this ZTR stand out from the competition. From the commercial grade Kawasaki FX1000V V-Twin engine to the long-range fuel tanks and the impressive top speed, you will have your job done safely and in comfort in no time at all.

It boasts safety features that the competition wish they had like GT Trac for the best traction on inclines, the easy touch brake system or the foot assist easy-lift cutting decks. Operator comfort is priority with the ergonomic cockpit allowing easy reach of all controls and the TBC-3 Tecspak® 360 floating seat system.

RTHD54 54" ZERO-TURN MOWER BRURTHD54

Land Owner Professional

Kawasaki FX1000V | 35 hp (26.1 kW) | 502.5 kg | 54" (1372 mm) cut Side discharge | Fuel Capacity: 35.9 litres | Height: 75" (1905 mm) With ROPS or 54" (1372 mm) Folding ROPS down
Length: 84" (2133.6 mm) | Width: 55.5" (1409.70 mm) w/discharge chute up | Up to 17.7 kph ground speed

Warranty: Entire Product: Commercial & Domestic - 3 Years / 500 Hours

- Parker HTJ 12cc wheel motors
- Heavy-duty fabricated steel, 6" deep, reinforced 7ga XTF (Xtreme Turf Flow) deck
- Control panel with LCD display, which contains at the push of a button a tachometer, engine hour meter, mowing hours meter, battery voltage, a countdown timer for engine oil replacement and a clock



RTHD61 61" ZERO-TURN MOWER BRURTHD61

Land Owner Professional

Kawasaki FX1000V | 35 hp (26.1 kW) | 516.1 kg | 61" (1550 mm) cut Side discharge | Fuel Capacity: 35.9 litres | Height: 75" (1905 mm) With ROPS or 54" (1372 mm) Folding ROPS down
Length: 84" (2133.6 mm) | Width: 62.5" (1587.5 mm) w/discharge chute up | Up to 17.7 kph ground speed

Warranty: Entire Product: Commercial & Domestic - 3 Years / 500 Hours

- Parker HTJ 12cc wheel motors
- Heavy-duty fabricated steel, 6" deep, reinforced 7ga XTF (Xtreme Turf Flow) deck
- Control panel with LCD display, which contains at the push of a button a tachometer, engine hour meter, mowing hours meter, battery voltage, a countdown timer for engine oil replacement and a clock



RTHD RANGE

RTHD RANGE

SET THE STANDARD WITH THE SRTXD.

Take command with the Bushranger Spartan SRTXD range. These powerhouse units are the definition of new aged sleek design and innovative power. These mowers are ready to work at your command jam-packed with first-class, premium features. Backed by an epic Kawasaki FX1000V or FX1000 EFI engine (and we are only just getting started), a Smart Ride Technology package, an Elastomer TecnPak®, huge tyres and advanced frame design - you'll have heads turning with this one of a kind range.

SRTXD61 61" ZERO-TURN MOWER BRUSRTXD61

Land Owner Professional

Kawasaki FX1000V | 35 hp (26.1 kW) | 551 kg | 61" (1550 mm) cut side discharge | Fuel Capacity: 35.96 litres | Height: 75" (1905 mm) With ROPS or 54" (1371.6 mm) Folding ROPS Down | Length: 84" (2133.6 mm) | Width: 62.5" (1587.5 mm) w/discharge chute up | Up to 20.92 kph ground speed

*Warranty: Entire Product: Domestic - 3 Years / 500 Hours
Commercial - 2 Years / Unlimited Hours*

- Parker HTG 16 cc wheel motors.
- Heavy-duty fabricated steel, 6" deep, reinforced 7ga XTF (Xtreme Turf Flow) deck
- Control panel with LCD display, which contains at the push of a button a tachometer, engine hour meter, mowing hours meter, battery voltage, a countdown timer for engine oil replacement and a clock



SRTXD61EF 61" EFI ZERO-TURN MOWER BRUSRTXD61EF

Land Owner Professional

Kawasaki FX1000V EFI | 38.5 hp (28.7 kW) | 564 kg | 61" (1550 mm) cut side discharge | Fuel Capacity: 35.96 litres | Height: 75" (1905 mm) With ROPS or 54" (1371.6 mm) Folding ROPS Down | Length: 84" (2133.6 mm) | Width: 62.5" (1587.5 mm) w/discharge chute up | Up to 20.92 kph ground speed

*Warranty: Entire Product: Domestic - 3 Years / 500 Hours
Commercial - 2 Years / Unlimited Hours*

- Parker HTG 16 cc wheel motors.
- Heavy-duty fabricated steel, 6" deep, reinforced 7ga XTF (Xtreme Turf Flow) deck
- Control panel with LCD display, which contains at the push of a button a tachometer, engine hour meter, mowing hours meter, battery voltage, a countdown timer for engine oil replacement and a clock



SRTXD RANGE

SRTXD RANGE

SRTXD72 72" ZERO-TURN MOWER BRUSRTXD72

Land Owner Professional

Kawasaki FX1000V | 35 hp (26.1 kW) | 569 kg | 72" (1829 mm) cut side discharge | Fuel Capacity: 35.96 litres | Height: 75" (1905 mm) With ROPS or 54" (1371.6 mm) Folding ROPS Down | Length: 84" (2133.6 mm) | Width: 73.5" (1866.9 mm) w/dischage chute up | Up to 20.92 kph ground speed

*Warranty: Entire Product: Domestic - 3 Years / 500 Hours
Commercial - 2 Years / Unlimited Hours*

- Parker HTG 16 cc wheel motors.
- Heavy-duty fabricated steel, 6" deep, reinforced 7ga XTF (Xtreme Turf Flow) deck
- Control panel with LCD display, which contains at the push of a button a tachometer, engine hour meter, mowing hours meter, battery voltage, a countdown timer for engine oil replacement and a clock



SRTXD72EF 72" EFI ZERO-TURN MOWER BRUSRTXD72EF

Home User Land Owner

Kawasaki FX1000V EFI | 38.5 hp (28.7 kW) | 576 kg | 72" (1829 mm) cut side discharge | Fuel Capacity: 35.96 litres | Height: 75" (1905 mm) With ROPS or 54" (1371.6 mm) Folding ROPS Down | Length: 84" (2133.6 mm) | Width: 73.5" (1866.9 mm) w/dischage chute up | Up to 20.92 kph ground speed

*Warranty: Entire Product: Domestic - 3 Years / 500 Hours
Commercial - 2 Years / Unlimited Hours*

- Parker HTG 16 cc wheel motors.
- Heavy-duty fabricated steel, 6" deep, reinforced 7ga XTF (Xtreme Turf Flow) deck
- Control panel with LCD display, which contains at the push of a button a tachometer, engine hour meter, mowing hours meter, battery voltage, a countdown timer for engine oil replacement and a clock.



LEVEL UP YOUR LAWNCARE WITH THE KG STAND ON.

Stand out from the rest with these heavy-duty commercial mowers that eat up lawns of all sizes, handles rough terrain with ease and comes packed with premium features that are all included as standard. Backed by a premium commercial grade Kawasaki engine and loaded with safety features like being perfectly balanced with a low centre of gravity for the best traction on inclines, this unit is designed with the commercial user in mind.

KGPRO54 54" STAND ON ZERO-TURN MOWER BRUKGPRO54

Land Owner Professional

Kawasaki FT730V | 24 hp (18 kW) | 459 kg | 54" (1372 mm) cut side discharge | Fuel Capacity: 45.4 litres | Height: 49" (1245 mm) | Length: 72.5" (1841.5 mm) | Width: 55.5" (1409.7 mm) w/discharge chute up | Up to 14.5 kph ground speed

Warranty: Entire Product: Commercial & Domestic - 3 Years / 300 Hours

- Parker HTE 10cc wheel motors
- Heavy-duty fabricated steel, 6" deep, reinforced 7ga XTF (Xtreme Turf Flow) deck
- Control panel with LCD display, which contains at the push of a button a tachometer, engine hour meter, mowing hours meter, battery voltage, a countdown timer for engine oil replacement and a clock



KGXD54 54" STAND ON ZERO-TURN MOWER BRUKXD54

Land Owner Professional

Kawasaki FX801V | 25.5 hp (19 kW) | 488 kg | 54" (1372 mm) cut side discharge | Fuel Capacity: 45.4 litres | Height: 49" (1245 mm) | Length: 72.5" (1841.5 mm) | Width: 55.5" (1409.7 mm) w/discharge chute up | Up to 17.7 kph ground speed

*Warranty: Entire Product: Domestic - 3 Years / 500 Hours
Commercial - 2 Years / Unlimited Hours*

- Parker HTJ 12cc wheel motors
- Heavy-duty fabricated steel, 6" deep, reinforced 7ga XTF (Xtreme Turf Flow) deck
- Control panel with LCD display, which contains at the push of a button a tachometer, engine hour meter, mowing hours meter, battery voltage, a countdown timer for engine oil replacement and a clock



KG RANGE

KG RANGE

Safety Feature

ROPS

Rollover protective structure (ROPS) are an important safety feature to have on your mower. This feature provides peace of mind for extra safety in the unlikely event of a rollover whilst working.

Safety Feature

CONTROLS

The ergonomic controls ensure steering of the unit is precise and instant at all times.

Accessory

STRESS RELIEF PADS

Upgrade available on all models. (Standard on SRTXD).

Feature

ELECTRONIC KEYPAD

The days of the key start are gone! All units in the Bushranger Spartan range are equipped with an electronic keypad. This touch start keypad is an excellent anti-theft feature. It also boasts a soft start blade engagement, tachometer and programmable service intervals.

Safety Feature

ANTI-SLIP MATS

The anti-slip mats on each unit enables you to work on damp or dewy grass ensuring safe access on and off the mower. These mats are also extremely easy to clean.

Feature

SUSPENSION SEATING

Comfort of ride is extremely important to us. All Bushranger Spartans offer top of the line seats, allowing you to work for as long as your heart's content.

Feature

REAR OF UNIT

TOW HITCH

The tow hitch enables you to tow small loads, taking the backache out of any unnecessary heavy lifting.

ENGINE GUARD

The added engine guard ensures your engine is safe from any possible flying debris whilst mowing. The 'hot' labeled guard also serves as an important reminder, minimising risk of burns.

Accessory

SOFT KNOB ADJUSTABLE ARMS

Safety Feature

SIDE STEP

The Bushranger Spartan range offers innovative features to ensure you get the job done safely and efficiently. Being able to step on the deck (all models) allows for easy access on and off the mower. An operator assist handle is available as an accessory.

Accessory










10" LED LIGHT KIT

Upgrade available on all models. (Standard on SRTXD)

SRTXD 72" model shown. See page 30 for accessories.

SPARTAN FEATURES

SPARTAN FEATURES

	SHIELD		SHIELD HD		DEFENDER			RTHD	
									
	SHIELD42	SHIELD54	SHIELDHD42	SHIELDHD54	DEFENDER 48	DEFENDER 54	DEFENDER 60	RTHD54	RTHD61
ENGINE	Kawasaki FR691V		Kawasaki FR691V		Kawasaki FR691V			Kawasaki FR730V	
HORSEPOWER	23 hp (17.2 kW)		23 hp (17.2 kW)		23 hp (17.2 kW)			24 hp (17.9 kW)	
TYPE	Air cooled 90-degree V-Twin		Air cooled 90-degree V-Twin		Air cooled 90-degree V-Twin			Air cooled 90-degree V-Twin	
STARTER / CHARGING SYSTEM	12V Electric		12V Electric		12V Electric			12V Electric	
IGNITION / STARTING	Electronic		Electronic		Electronic			Electronic Keyless enter personal code to start	
FUEL	Unleaded fuel		Unleaded fuel		Unleaded fuel			Unleaded fuel	
FUEL CAPACITY	18.9 Litres		18.9 Litres		18.9 Litres			35.9 Litres	
DRIVE SYSTEM	Dual hydrostatic Hydro-Gear ZT2200		Dual hydrostatic Hydro-Gear ZT2800		Dual hydrostatic Hydro-Gear ZT2800			Parker HTJ wheel motors	
GROUND SPEED - FORWARD	Up to 12.8 kph		Up to 12.8 kph		Up to 12.8 kph			Up to 17.7 kph	
BRAKES	Automatic parking brake		Automatic parking brake		Automatic parking brake			Foot-operated parking brake	
CASTER TYRES	12" Smooth tread		12" Smooth tread		13" Smooth tread			13 x 6.5 - 6, Radial tread	
TYRES - DRIVE	20" Turf armour tyres		20" Turf armour tyres		22" Turf armour tyres			24" Turf radial	
SEAT	Mid-back bolstered seat		Premium		Premium			TCB-3 TecSPak Elastomer Dampeners with 360 Floating System	
CUP HOLDER	Yes		Yes		Yes			Yes	
HEIGHT	44" (1117 mm)		44" (1117 mm)		74" (1879.6 mm) ROPS up, 49" (1244.6 mm) folding ROPS down			75" (1905 mm) ROPS up, 54" (1371.6 mm) folding ROPS down	
LENGTH	81" (2057 mm)		81" (2057 mm)		81" (2057 mm)			84" (2133.6 mm)	
WIDTH	43.5" (1104.9 mm)	55.5" (1049 mm)	43.5" (1104.9 mm)	55.5" (1049 mm)	49.5" (1257 mm)	55.5" (1409.7 mm)	61.5" (1562.1 mm)	55.5" (1409 mm) w/dischage chute up	62.5" (1587.5 mm) w/dischage chute up
WEIGHT	309 kg	326 kg	309 kg	326 kg	346.9 kg	375 kg	390.9 kg	502.5 kg	516.1 kg
DECK LIFT	Foot-operated		Foot-operated		Foot-operated			Foot-operated with shock assist	
CUTTING WIDTHS	42" (1067 mm) cut side discharge	54" (1371 mm) cut side discharge	42" (1067 mm) cut side discharge	54" (1371 mm) cut side discharge	48" (1257 mm) cut side discharge	54" (1371.6 mm) cut side discharge	60" (1524 mm) cut side discharge	54" (1372 mm) cut side discharge	61" (1550 mm) cut side discharge
CUTTING HEIGHTS	1" to 5" (25.4 mm to 127 mm)		1" to 5" (25.4 mm to 127 mm)		1" to 5" (25.4 mm to 127 mm)			Change on the go precision deck height dial - 1.5" to 5.5" (38.1 mm to 139.7 mm) with 15 adjustable cut heights	
BLADE(S)	2	3	2	3	3			3 Heavy-duty blades	
WARRANTY DETAILS									
ENTIRE PRODUCT	3 Years or 300 Hours		3 Years or 300 Hours		3 Years or 300 Hours			3 Years / 500 Hours Commercial and Domestic	
PUMPS & MOTORS	3 Years or 200 Hours transmission		3 Years or 200 Hours transmission		3 Years or 300 Hours transmission			3 Years / 1500 Hours Commercial and Domestic	
DECK	Lifetime on the leading edge		Lifetime on the leading edge		Lifetime on the leading edge			Lifetime on the leading edge	
FRAME								2 Years Commercial 3 Years / 500 Hours Domestic	
CONTROL PANEL								3 Years / 500 Hours	

SRT XD



SRTXD6I

SRTXD6IEF

SRTXD72

SRTXD72EF

ENGINE	Kawasaki FX1000V	Kawasaki FX1000V EFI	Kawasaki FX1000V	Kawasaki FX1000V EFI
HORSEPOWER	35 hp (26.1 kW)	38.5 hp (28.7 kW)	35 hp (26.1 kW)	38.5 hp (28.7 kW)
TYPE	Air cooled 90-degree V-Twin			
STARTER / CHARGING SYSTEM	12V Electric			
IGNITION / STARTING	Electronic Keyless enter personal code to start			
FUEL	Unleaded fuel			
FUEL CAPACITY	35.96 Litres			
DRIVE SYSTEM	Parker HTG 16 cc wheel motors			
GROUND SPEED - FORWARD	Up to 20.9 kph			
BRAKES	Foot-operated parking brake			
CASTER TYRES	13 x 6.5 - 6, Radial tread			
TYRES - DRIVE	24" Turf radial			
SEAT	TCB-3 TecPak Elastomer Dampeners with 360 Floating System			
CUP HOLDER	Yes			
HEIGHT	75" (1905 mm) ROPS up, 54" (1371.6 mm) folding ROPS down			
LENGTH	84" (2133.6 mm)			
WIDTH	62.5" (1587.5 mm) w/discharge chute up		73.5" (1866.9 mm) w/discharge chute up	
WEIGHT	551 kg	564 kg	569 kg	576 kg
DECK LIFT	Foot-operated with shock assist			
CUTTING WIDTHS	61" (1550 mm) cut side discharge		72" (1829 mm) cut side discharge	
CUTTING HEIGHTS	Change on the go precision deck height dial - 1.5" to 5.5" (38.1 mm to 139.7 mm) with 15 adjustable cut heights			
BLADE(S)	3 Heavy-duty blades			
WARRANTY DETAILS				
ENTIRE PRODUCT	2 Years / Unlimited Commercial 3 Years / 500 Hours Domestic			
PUMPS & MOTORS	3 Years / 1500 Hours Commercial and Domestic			
DECK	Lifetime on the leading edge			
FRAME	2 Years Commercial 3 Years / 500 Hours Domestic			
CONTROL PANEL	3 Years / 300 Hours			

KG



KGPR054

KGXD54

ENGINE	Kawasaki FT730V	Kawasaki FX801V
HORSEPOWER	24 hp (18 kW)	25.5 hp (19 kW)
TYPE	Air cooled 90-degree V-Twin	
STARTER / CHARGING SYSTEM	12V Electric	
IGNITION / STARTING	Electronic Keyless enter personal code to start	
FUEL	Unleaded fuel	
FUEL CAPACITY	45.4 Litres	
DRIVE SYSTEM	Parker HTE 10 cc wheel motors	Parker HTJ 12 cc wheel motors
GROUND SPEED - FORWARD	Up to 14.5 kph	Up to 17.7 kph
BRAKES	Hand-operated parking brake	
CASTER TYRES	13" Radial	
TYRES - DRIVE	24" Turf radial	
SEAT	n/a	
CUP HOLDER	Yes	
HEIGHT	49" (1245 mm)	
LENGTH	72.5" (1841.5 mm)	
WIDTH	55.5" (1409.7 mm) w/discharge chute up	
WEIGHT	459 kg	488 kg
DECK LIFT	Foot-operated with shock assist	
CUTTING WIDTHS	54" (1372 mm) cut side discharge	
CUTTING HEIGHTS	Change on the go deck height pin system with shock assisted deck foot lift. 1" to 5" (25.4 mm to 127 mm) with 15 adjustable cut heights	
BLADE(S)	3 Heavy-duty blades	
WARRANTY DETAILS		
ENTIRE PRODUCT	3 Years / 300 Hours Commercial and Domestic	3 Years / 500 Hours Domestic 2 Years Commercial
PUMPS & MOTORS	3 Years / 750 Hours Commercial and Domestic	3 Years / 1500 Hours Commercial and Domestic
DECK	Lifetime on the leading edge	
FRAME	2 Years Commercial 3 Years / 500 Hours Domestic	
CONTROL PANEL	3 Years	



GRASS COLLECTION SYSTEMS

Grass collection systems available for all 2019, 2020 and 2021 models. Please Speak to your local Bushranger dealer for more information.

MULCH BAFFLE KITS

Mulch baffle kits available for all 2019, 2020 and 2021 models. Please speak to your local Bushranger dealer for more information.

MISCELLANEOUS ACCESSORIES

PART NUMBER	DESCRIPTION	MODEL FIT
BRASP439-0303-03	Receiver Hitch Bracket	RZ Models Only
BRASP439-0097-00	Deck Height Foot Pedal Extension	All Models
BRASP486-0042-00	10" LED Light Kit	All Models Standard on SRTXD
BRASP493-0008-00	Stress Pad Kit	All Models Standard on SRTXD
BRASP415-0054-00	Chrome Exhaust Kit	All Models
BRASP493-0011-00	Tecs Pak Kit - Seat Suspension Upgrade Kit	All Models Standard on SRTXD
BRASP493-0012-11	Rear Stabiliser Kit	RT & SRT Models Standard on SRTXD
BRASP493-0039-00	Operator Assist Handle	All Models
BRASP493-0028-00	Canopy Assembly	ROPS Fitted Models
BRASP493-0043-KT	Spartan Mower Jack Assembly For use with Front Tube Receiver Kit BRASP493-0041-KT or Side Mount Receiver Hitch Kit BRASP493-0040-KT	All Models
BRASP493-0044-KT	Side Mount Receiver / Jack Assembly Kit Includes Side Mount Hitch Kit BRASP493-0040-KT and Spartan Mower Jack Assembly BRASP493-0043-KT	All Models
BRASP493-0041-KT	Front Tube Receiver Kit	RT & SRT Models
BRASP426-0030-00	Counter Weights	RT & SRT Models
BRASP493-0040-KT	Side Mount Receiver Hitch Kit	All Models
BRASP493-0084-00	Quick Shield RT / SRT	RT & SRT Models
BRASP493-0109-00	RT / SRT Spoiler Kit	RT & SRT Models
BRASP493-0078-00	RT / SRT Basket Spoiler Kit	2020 RT & SRT Models
BRASP493-0074-KT	Front Nylon Bumper	All Models
BRASP493-0075-KT	Rear Receiver Nylon Bumper	RT & SRT Models
BRASP493-0030-00	Spartan Mower Cover	All Models - 48", 54", 61"
BRASP493-0031-00	Spartan Mower Cover	SRT 72" Only
BRASP493-0083-00	Front Suspension Fork With Fender (Set)	SRT Models Only
BRASP493-0005-00	Electric Actuating Deck Lift Upgrade Kit	RT & SRT Models
BRASP493-0001-00	Soft Knob Adjustable Drive Arms	All Models Standard on RTHD & SRTXD
BRASP493-0037-00	Rear Anti Scalp Assembly	All Models
BRASP493-0115-KT	GT Trac Cup Holder	All Models



**WHY WAIT?
ADD A NEW SPARTAN
TO YOUR FLEET TODAY!**

**INTEREST
FREE** TERMS AVAILABLE**



VISIT YOUR LOCAL DEALER FOR MORE INFORMATION.

FINANCE OPTIONS

humm90 *Approved applicants for a humm90 Mastercard credit card only. Fees and charges apply, including a \$99 annual fee that applies on account opening. Applicants who enter into their Credit Contract on or after 1 October 2024 will be charged a monthly fee of \$9.95 instead of an annual fee, and existing customers will be transitioned on a rolling basis. T&Cs and minimum finance amount applies. For Long Term Interest Free purchases: Minimum monthly payments must be made by the due date each month, otherwise interest at the humm90 Expired Promotional Rate (currently 26.49%) applies. For other purchases: Up to 110 days interest free and payment holiday can apply (excluding purchases we treat as cash advances), after which minimum monthly payments are required. Interest at the humm90 Purchase Rate (currently 26.30%) applies if purchase amount is not repaid within Interest Free Period or if other Interest Free Criteria are not met. All fees, charges and interest rates are current as at June 2024 and subject to change - see humm90.com/au. Credit provided by humm Cards Pty Ltd ABN 31 099 651 877 Australian Credit Licence number 247415. Mastercard® and the circles design are a trademark of Mastercard International Incorporated.

Zip Money ^The interest free period is the maximum period of time when no interest is charged on the purchase. The availability of the interest free period for a purchase will depend on the purchase amount, the minimum monthly repayment and account status. Minimum monthly repayments are required and vary according to credit limit. Minimum monthly repayments may require repayment of the purchase prior to the expiry of the maximum interest free period. In other cases, paying only the minimum monthly repayment may not repay the purchase in the interest free period. Any purchase amount outstanding at the expiry of the interest free period will be charged at the standard variable interest rate, 25.9% per annum, as at 1 June 2023. Zip Money is available to approved applicants and subject to completion of a satisfactory credit assessment. A monthly account fee of \$9.95 applies and a one-off establishment fee may apply for new customers. Other charges may be payable, see T&Cs. Interest, fees and charges are subject to change. Terms and Conditions apply and are available on application. Credit provided by ZipMoney Payments Pty Ltd (ABN 58 164 440 993), Australian Credit Licence Number 441878.

BUSHRANGER®

POWER EQUIPMENT



CONNECT WITH US

bushrangerpe.com.au



Bushranger.AUS



[bushranger.powerequipment](https://www.instagram.com/bushrangerpowerequipment)



[BushrangerPowerEquipment](https://www.youtube.com/BushrangerPowerEquipment)



Products depicted in this document are subject to specification, performance characteristic and availability changes without prior notice. Images used for illustration purposes only. All trademarks herein are fully acknowledged to belong to their corresponding owners. No reproduction of this document, or part thereof, by electronic or photographic means permitted without prior consent of Roy Gripske & Sons Pty. Ltd. Latest update January 2026.

Copyright © 2026 Roy Gripske & Sons Pty. Ltd. All rights reserved. 1212078872283427